Serial No.: 10/551,783 Filed: July 7, 2006

Applicant: Bonnert et al.

Page : 2 of 15

Listing of Claims:

1. (Previously Presented) A compound of formula (I) or a pharmaceutically acceptable salt thereof:

HO O
$$R^1$$
 O Z X

in which:

X is halogen, cyano, nitro, $S(O)_nR^6$ (wherein n is 0, 1 or 2) or C_{1-4} alkyl which is substituted by one or more halogen atoms;

Y is hydrogen;

Z is phenyl or naphthyl each of which is substituted by one or more substituents independently selected from halogen, CN, OH, SH, nitro, COR⁹, CO₂R⁶, SO₂R⁹, OR⁹, SR⁹, SOR⁹, SO₂NR¹⁰R¹¹, CONR¹⁰R¹¹, NR¹⁰R¹¹, NHSO₂R⁹, NR⁹SO₂R⁹, NR⁶CO₂R⁶, NHCOR⁹, NR⁹COR⁹, NR⁶CONR⁴R⁵, NR⁶SO₂NR⁴R⁵, aryl, heteroaryl,

C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₇ cycloalkyl or C₁₋₆alkyl, the latter four groups being optionally substituted by one or more substituents independently selected from halogen, C₃-C₇

Applicant: Bonnert et al. Attorney's Docket No.: 06275-0474US1 / 101016-1P US/R&I

Serial No.: 10/551,783 Filed : July 7, 2006

Page : 3 of 15

cycloalkyl, OR⁶, NR⁶R⁷, S(O)_nR⁶ (wherein n is 0, 1 or 2), CONR⁶R⁷, NR⁶COR⁷, SO₂NR⁶R⁷ and $NR^6SO_2R^7$;

R¹ and R² independently represent a hydrogen atom, halogen, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₇ cycloalkyl or a C₁₋₆alkyl group, the latter four groups being optionally substituted by one or more substituents independently selected from halogen, C₃-C₇ cycloalkyl, NR⁶R⁷, OR⁶, S(O)_nR⁶ (wherein n is 0, 1 or 2);

or

R¹ and R² together can form a 3-8 membered ring optionally containing one or more atoms selected from O, S, NR⁶ and itself optionally substituted by one or more C₁-C₃ alkyl or halogen;

R³ represents C₃-C₇ cycloalkyl or C₁₋₆alkyl which may be optionally substituted by one or more substituents independently selected from halogen, C₃-C₇ cycloalkyl, OR⁶ and NR⁶R⁷, S(O)_nR⁶ (wherein n is 0, 1 or 2), CONR⁶R⁷, NR⁶COR⁷, SO₂NR⁶R⁷ and NR⁶SO₂R⁷;

R⁴ and R⁵ independently represent hydrogen, C₃-C₇ cycloalkyl or C₁₋₆alkyl, the latter two groups being optionally substituted by one or more substituents independently selected from halogen, C₃-C₇ cycloalkyl, OR⁶ and NR⁶R⁷, S(O)_nR⁶ (wherein n is 0, 1 or 2), CONR⁶R⁷, NR⁶COR⁷,SO₂NR⁶R⁷ and NR⁶SO₂R⁷;

or

R⁴ and R⁵ together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocylic ring optionally containing one or more atoms selected from O, S(O)_n (wherein n is 0, 1 or 2), NR^8 , and itself optionally substituted by halogen or C_{1-3} alkyl;

R⁶ and R⁷ independently represents a hydrogen atom or C₁-C₆ alkyl;

Applicant: Bonnert et al. Attorney's Docket No.: 06275-0474US1 / 101016-1P

Serial No.: 10/551,783 Filed: July 7, 2006 Page: 4 of 15

R⁸ is hydrogen, C₁₋₄ alkyl, -COC₁-C₄ alkyl, CO₂C₁-C₄alkyl or CONR⁶C₁-C₄alkyl;

 R^9 represents aryl, heteroaryl, C_3 - C_7 cycloalkyl or $C_{1\text{-}6}$ alkyl, the latter two groups may be optionally substituted by one or more substituents independently selected from halogen, C_3 - C_7 cycloalkyl, aryl, heteroaryl OR^6 and NR^6R^7 , $S(O)_nR^6$ (wherein n is 0, 1 or 2), $CONR^6R^7$, NR^6COR^7 , $SO_2NR^6R^7$ and $NR^6SO_2R^7$;

 R^{10} and R^{11} independently represent aryl or heteroaryl, hydrogen, C_3 - C_7 cycloalkyl or $C_{1\text{-}6}$ alkyl, the latter two groups being optionally substituted by one or more substituents independently selected from halogen, C_3 - C_7 cycloalkyl, aryl, heteroaryl, OR^6 and NR^6R^7 , $S(O)_nR^6$ (wherein n is 0, 1 or 2), $CONR^6R^7$, NR^6COR^7 , $SO_2NR^6R^7$ and $NR^6SO_2R^7$;

or

R¹⁰ and R¹¹ together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocylic ring optionally containing one or more atoms selected from O, S(O)_n (wherein n is 0, 1 or 2), NR⁸, and itself optionally substituted by halogen or C₁-C₃ alkyl.

- 2. (Previously Presented) A compound according to claim 1 in which X is halogen, cyano, nitro, $S(O)_nR^6$ or C_{1-4} alkyl which is substituted by one or more halogen atoms.
- 3. (Original) A compound according to claim 1 in which X is trifluoromethyl, nitro, cyano or halogen.
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Previously Presented) A compound according to claim 1 in which Z is phenyl, which is substituted with one or more substituents as defined in claim 1.

Applicant : Bonnert et al. Attorney's Docket No.: 06275-0474US1 / 101016-1P Serial No. : 10/551.783

Serial No.: 10/551,783 Filed: July 7, 2006

Page : 5 of 15

7. (Previously Presented) A compound according to claim 1 in which both R¹ and R² are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.

- 8. (Previously Presented) A compound according to claim 1 selected from:
- {[5-Chloro-4'-(ethylthio)biphenyl-2-yl]oxy}acetic acid,
- {[5-Chloro-4'-(ethylsulfonyl)biphenyl-2-yl]oxy}acetic acid,
- [(4',5-Dichlorobiphenyl-2-yl)oxy]acetic acid,
- [(5-Chloro-4'-cyanobiphenyl-2-yl)oxy]acetic acid,
- [(5-Chloro-4'-methoxybiphenyl-2-yl)oxy]acetic acid,
- [(5-Chloro-3',4'-dimethoxybiphenyl-2-yl)oxy]acetic acid,
- 2'-(Carboxymethoxy)-5'-chlorobiphenyl-4-carboxylic acid,
- {[5-Chloro-4'-(methylsulfonyl)biphenyl-2-yl]oxy}acetic acid,
- {[5-Chloro-4'-(ethylsulfonyl)-2'-methylbiphenyl-2-yl]oxy}acetic acid,
- {[4'-(Methylthio)-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid,
- {[4'-(Methylsulfonyl)-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid,
- {[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid,
- [[2',5-Dichloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
- [[2'-Chloro-4'-(ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
- [[5-Chloro-4'-(ethylsulfonyl)-2'-fluoro[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
- $\hbox{$[[4'-(Ethylsulfonyl)-2'-fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-acetic acid,}\\$
- [[5-Chloro-4'-(ethylsulfonyl)-2'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
- 2-[[5-Chloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-propanoic acid,
- 2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,
- 2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2R)- propanoic acid,
- 2-[[2',5-Dichloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,
- 2-[[2'-Chloro-4'-(ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

US/R&I

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006

Page : 5 of 15

```
2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-2-methyl-propanoic acid,
```

 $2\hbox{-}[[4'\hbox{-}(Ethylsulfonyl)\hbox{-}2'\hbox{-}methyl\hbox{-}5\hbox{-}(trifluoromethyl)[1,1'\hbox{-}biphenyl]\hbox{-}2\hbox{-}yl]oxy]\hbox{-}butanoic acid,}$

[[4'-(Ethylsulfonyl)-4,5-difluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[4'-(Ethylsulfonyl)-5-fluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[4'-(Ethylsulfonyl)-3,5-difluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[4'-Amino-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Amino-2'-chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Chloro-4'-hydroxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2',5-Bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5'-Fluoro-2'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5'-Cyano-2'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2',5'-Dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Fluoro-6'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[[(Ethylamino)carbonyl]amino]-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[2'-Methyl-4'-[[(methylamino)carbonyl]amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[4'-[[(Cyclopropylamino)carbonyl]amino]-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Methyl-4'-[[(propylamino)carbonyl]amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-acetic acid,

[[2',4'-Dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-(Aminocarbonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

Applicant: Bonnert et al. US/R&I Serial No.: 10/551,783

Filed : July 7, 2006 : 7 of 15 Page

```
[[2',5'-Difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
```

[[5'-(Aminosulfonyl)-2'-chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Cyano-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Chloro-2'-fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2',5'-Difluoro-4'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-fluoro-5'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Fluoro-4'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Methoxy-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-(Aminosulfonyl)-2',5'-difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-(1-Methylethyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3',4'-Difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Ethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Fluoro-5-(trifluoromethyl)[1,1':4',1"-terphenyl]-2-yl]oxy]- acetic acid,

[[4'-(Trifluoromethoxy)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2',3'-Dichloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-(1,1-Dimethylethyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[2-(6-Methoxy-2-naphthalenyl)-4-(trifluoromethyl)phenoxy]- acetic acid,

[[4'-(Ethylthio)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Acetyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5'-(Aminosulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Methyl-5'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-3-carboxylic acid, 3-methyl ester,

2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-2-carboxylic acid, 2-methyl ester,

[[5-(Trifluoromethyl)[1,1':4',1"-terphenyl]-2-yl]oxy]- acetic acid,

[[3'-Fluoro-2',4'-dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Nitro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

US/R&I

Applicant: Bonnert et al. Serial No.: 10/551,783
Filed: July 7, 2006

Filed : July 7, 2006 Page : 8 of 15

```
[[5-(Trifluoromethyl)[1,1':3',1"-terphenyl]-2-yl]oxy]- acetic acid,
```

2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-4-carboxylic acid, 4-methyl ester,

[[4'-Nitro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5-(Trifluoromethyl)-3'-[(trifluoromethyl)thio][1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[5-(Trifluoromethyl)-4'-[(trifluoromethyl)thio][1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-(Ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[3'-Propoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-Propoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[2-(2-Amino-4-methyl-5-pyrimidinyl)-4-(trifluoromethyl)phenoxy]- acetic acid,

[[4'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4',5-Bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[2-(2-Naphthalenyl)-4-(trifluoromethyl)phenoxy]- acetic acid,

 $\hbox{$[[4'-(1-Pyrrolidinylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-$ acetic acid, }$

[[4'-[(Dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[[(Phenylmethyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[[(2,2,2-Trifluoroethyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[[(5-Methyl-2-thiazolyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[(Phenylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[(Diethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

 $\hbox{$[[4'-[(Cyclopropylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,}\\$

US/R&I

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006

Page: 9 of 15

[[4'-(Aminosulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[(Methylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-[(4-Methyl-1-piperazinyl)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[2-[4-Methyl-2-(5-methyl-1,1-dioxido-1,2,5-thiadiazolidin-2-yl)-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]- acetic acid,

[[2'-Chloro-4'-[(methoxycarbonyl)amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid

2-[[2'-Chloro-4'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

2-[[3'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

2-[[4'-[(Dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

2-[[2'-Chloro-4'-[(dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

2-[[2'-Fluoro-4'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

[[2',5-Dichloro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

[[5-Chloro-4'-[(dimethylamino)sulfonyl][1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

[[2',5-Dichloro-4'-[(dimethylamino)sulfonyl][1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

[(5-Chloro-3'-cyano[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid,

[[5-Chloro-4'-[(dimethylamino)sulfonyl]-2'-fluoro[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

[[5-Chloro-4'-(4-morpholinylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

[[5-Chloro-2'-fluoro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

 $\hbox{$2-[[4'-(1-Azetidinylsulfonyl)-5-chloro[1,l'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,}$

2-[[5-Chloro-2'-methyl-4'-(1-pyrrolidinylcarbonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

 $2\hbox{-}[(2',4'\hbox{-}Dichloro-5\hbox{-}cyano[1,1'\hbox{-}biphenyl]-2-yl)oxy]-(2S)\hbox{-}propanoic acid,}$

2-[[5-Cyano-2'-fluoro-4'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

2-[(3'-Cyano-5-fluoro[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid, sodium salt,

 $\hbox{$2-[(2',4'-Dichloro-5-fluoro[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid, so dium salt,}\\$

2-[[2'-Chloro-5-fluoro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid

2-[[2'-Chloro-5-fluoro-5'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

Applicant : Bonnert et al. Attorney's Docket No.: 06275-0474US1 / 101016-1P Serial No. : 10/551,783 US/R&1

Filed : July 7, 2006 Page : 10 of 15

[[4'-(Methylsulfonyl)-2',5-bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid, and [(5-Chloro-3'-cyano[1,1'-biphenyl]-2-yl)oxy]- acetic acid, and pharmaceutically acceptable salts thereof.

- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Previously Presented) A method of treating asthma or rhinitis in a patient suffering from, or at risk of, asthma or rhinitis, which comprises administering to the patient a therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt thereof, as defined in claim 1.
- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Previously Presented) A compound according to claim 2, in which Z is phenyl, which is substituted with one or more substituents as defined in claim 1.
- 16. (Previously Presented) A compound according to claim 2, in which both R^1 and R^2 are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.
- 17. (Cancelled)
- 18. (Cancelled)

Attorney's Docket No.: 06275-0474US1 / 101016-1P Applicant: Bonnert et al.

Serial No.: 10/551,783 Filed : July 7, 2006

Page : 11 of 15

19. (Previously Presented) A compound according to claim 3, in which Z is phenyl, which is substituted with one or more substituents as defined in claim 1.

20. (Previously Presented) A compound according to claim 3, in which both R^1 and R^2 are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.